

Lubra Dehumidifier LDH122

(9.2 litres a Day)




Switzerland
since 1983


New Zealand
since 2006

The LDH122 is a very compact appliance that features low energy consumption. It is suitable for living rooms, basements, storage rooms, stores, etc. The integrated humidistat allows you to set the desired and fully automatic dehumidification and drying action. A convenient handle and four casters simplify the transporting of the unit. Perfectly suited for use in different rooms. The integrated overflow protected bucket is easily emptied. As an option you can hook up the appliance to a hose to drain the condensed water directly.



Benefits:


- ✓ Quiet operation (very low noise level)
- ✓ Modern design
- ✓ Very compact dimensions
- ✓ LUBRA the quality European brand since 1983
- ✓ 2 years warranty

Used in:

- ✓ Rooms up to 120 m³ (50 m²) in size
- ✓ Bath and shower rooms
- ✓ Basements
- ✓ Stores
- ✓ Storage rooms, and
- ✓ To resolve numerous other humidity issues



Bucket, overflow controlled



Air filter, washable

Specifications		Model: LDH122
Voltage	220-230 Volts / 50Hz	
Power consumption at 20 °C - 60% relative Humidity.	180 Watts	
Permissible room temperature	5 - 30 ° C	
Air circulation	120 m ³ / hr	
Automatic de-icing system	compressor shut-off	
Refrigerant (CFC free)	R134a	
Dimensions H x W x D	53 x 31 x 22 cm	
Weight	11.5 kg	
Bucket with overflow protection	1.8 Litres	
Hose to drain water directly	12 mm (optional accessory)	
Colour	white case, transparent brown bucket, and blue panel	
Noise level at a distance of 5 m / 2.5 m	30 / 35 dbA	
Air filter	washable	
Warranty	2 years (return to authorised agent)	
Max. water extraction, average power consumption and efficiency with different conditions: (r. H = relative Humidity)		
Temperature	80% r. H.	60% r. H.
- 30° C	9.0 L / 24 hrs (0.64 KWh / L)	7.20 L / 24 hrs (0.78 KWh / L)
- 25° C	6.88 L / 24 hrs (0.73 KWh / L)	5.72 L / 24 hrs (0.87 KWh / L)
- 20° C	6.3 L / 24 hrs (0.81 KWh / L)	4.71 L / 24 hrs (0.93 KWh / L)
- 15° C	4.56 L / 24 hrs (0.90 KWh / L)	4.19 L / 24 hrs (0.97 KWh / L)
- 10° C	2.89 L / 24 hrs (1.24 KWh / L)	2.47 L / 24 hrs (1.39 KWh / L)

For your convenience, data sheets are available that list the efficiency rating relative to different temperatures.

Accessories available:

- 12 mm clear hose for direct drainage of condensed water
- Wall mounting bracket (if not used as a portable unit)
- Lubra hygrometer to control moisture

